

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2829	((359/29) or (359/3) or (359/1) or (359/21) or (359/30) or (359/31) or (359/35)).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/04 11:50
L2	79	L1 and hologra\$ and ((slit\$2 or pinhol\$3 or pin?hol\$3 or (pin near3 hol\$3) or diaphragm\$2 or iris\$2 or hol\$3 or apertur\$3) with (fourier or ft or transform\$5 or 4f or "4"?f) with plan\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/04 11:50
L3	74	L1 and hologra\$ and ((slit\$2 or pinhol\$3 or pin?hol\$3 or (pin near3 hol\$3) or diaphragm\$2 or iris\$2 or hole\$2 or apertur\$3) with (fourier or ft or transform\$5 or 4f or "4"?f) with plan\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/04 11:53
L4	74	L1 and hologra\$ and ((slit\$2 or pinhol\$3 or pin?hol\$3 or (pin near3 hole\$2) or diaphragm\$2 or iris\$2 or hole\$2 or apertur\$3) with (fourier or ft or transform\$5 or 4f or "4"?f) with plan\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/04 11:53
L5	5	L1 and hologra\$ and ((slit\$2 or pinhol\$3 or pin?hol\$3 or (pin near3 hole\$2) or diaphragm\$2 or iris\$2 or hole\$2 or apertur\$3) with (confoc\$5) with plan\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/04 12:24
L6	577	hologra\$ and ((slit\$2 or pinhol\$3 or pin?hol\$3 or (pin near3 hole\$2) or diaphragm\$2 or iris\$2 or hole\$2 or apertur\$3) with (fourier or ft or transform\$5 or 4f or "4"?f or confoc\$5) with plan\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/04 12:30

L7	36	(hologra\$ and ((slit\$2 or pinhol\$3 or pin?hol\$3 or (pin near3 hole\$2) or diaphragm\$2 or iris\$2 or hole\$2 or apertur\$3) with (fourier or ft or transform\$5 or 4f or "4"?f or confoc\$5) with plan\$3)).clm.	US-PGPUB; USPAT; USOCR; EPO; J PO; DERWENT; IBM_TDB	OR	ON	2010/ 11/ 04 12:32
S1	2	("6040930").PN.	US-PGPUB; USPAT; EPO; J PO; DERWENT; IBM_TDB	OR	OFF	2005/ 10/ 28 17:42
S2	2092	((359/ 29) or (359/ 3) or (359/ 1) or (359/ 21) or (359/ 30) or (359/ 31) or (359/ 35)).CCLS.	US-PGPUB; USPAT; EPO; J PO; DERWENT; IBM_TDB	OR	OFF	2005/ 10/ 28 19:42
S3	472	S2 and (fourier or ft) and (hologra\$ with (record\$4 or writ\$4 or st or\$4))	US-PGPUB; USPAT; EPO; J PO; DERWENT; IBM_TDB	OR	ON	2005/ 10/ 28 19:45
S4	342	S2 and ((fourier or ft or transform\$4) with lens \$4) and (hologra\$ with (record\$4 or writ\$4 or st or\$4))	US-PGPUB; USPAT; EPO; J PO; DERWENT; IBM_TDB	OR	ON	2005/ 10/ 30 17:51
S5	213	S4 and (foc\$5 with length)	US-PGPUB; USPAT; EPO; J PO; DERWENT; IBM_TDB	OR	ON	2005/ 10/ 30 15:51
S6	295	(359/ 29).CCLS.	US-PGPUB; USPAT; EPO; J PO; DERWENT; IBM_TDB	OR	OFF	2005/ 10/ 30 15:51
S7	549	((fourier or ft or transform\$5) with lens \$4) and (hologra\$ with (record\$4 or writ\$4 or st or\$4)) and (focal near4 length)	US-PGPUB; USPAT; EPO; J PO; DERWENT; IBM_TDB	OR	ON	2006/ 04/ 03 20:03
S8	472	S7 and (magnif\$ or reduc\$)	US-PGPUB; USPAT; EPO; J PO; DERWENT; IBM_TDB	OR	ON	2005/ 10/ 30 17:52
S9	469	((fourier or ft or transform\$5) with lens \$4) same hologra\$) and (focal near4 length)	US-PGPUB; USPAT; EPO; J PO; DERWENT; IBM_TDB	OR	ON	2005/ 10/ 30 21:16
S10	6	("4920220"   "5339305"   "5377176"   "5440669"   "5450218"   "5483365").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/ 10/ 30 20:15

S11	173	((fourier or ft or transform\$5 or 4f or 4? f) with lens\$4) and hologra\$ and ((focal near4 length) with (differe\$4 or unequal or ("not" near3 equal) or uneven))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/ 10/ 30 21:51
S12	3	("5339305"   "5510912"   "6088321").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/ 10/ 30 21:39
S13	725	((fourier or ft or transform\$5 or 4f or 4? f) with lens\$4) and hologra\$ and (foc\$2 near4 length) and (aperture or pinhole or pin?hole or (pin near3 hole) or iris or diaphragm or hole or slit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/ 10/ 30 21:53
S14	343	((fourier or ft or transform\$5 or 4f or 4? f) with lens\$4) and hologra\$ and (foc\$2 near4 (length or distance or position)) and ((aperture or pinhole or pin?hole or (pin near3 hole) or iris or diaphragm or hole or slit) with (plane))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/ 10/ 30 22:44
S15	142	((fourier or ft or transform\$5 or 4f or 4? f) with lens\$4) and hologra\$ and (foc\$2 near4 (length or distance or position)) and asymmetr\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/ 10/ 30 23:49
S16	673	((fourier or ft or transform\$5 or 4f or "4"?f) near5 lens\$4) and (hologra\$ with (record \$4 or writ\$4 or stor\$4)) and (slit\$2 or pinhol\$3 or pin?hol\$3 or (pin near3 hol\$3) or diaphragm\$2 or iris\$2 or hol\$3 or apertur\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/ 04/ 03 20:06
S17	2148	((359/ 29) or (359/ 3) or (359/ 1) or (359/ 21) or (359/ 30) or (359/ 31) or (359/ 35)).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/ 04/ 03 20:07
S18	456	S17 and (fourier or ft or transform\$5 or 4f or "4"?f) and hologra\$ and (slit\$2 or pinhol\$3 or pin?hol\$3 or (pin near3 hol\$3) or diaphragm\$2 or iris\$2 or hol\$3 or apertur\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/ 04/ 03 20:07

S19	9	("5191574"   "5319629"   "5777760"   "5822090"   "5835650"   "5940514"   "6061154"   "6088321"   "6281993").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/04 13:54
S20	2233	((359/29) or (359/3) or (359/1) or (359/21) or (359/30) or (359/31) or (359/35)).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/20 15:19
S21	483	S20 and (fourier or ft or transform\$5 or 4f or "4"?f) and hologra\$ and (slit\$2 or pinhol\$3 or pin?hol\$3 or (pin near3 hol\$3) or diaphragm\$2 or iris\$2 or hol\$3 or apertur\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 16:57
S22	306	(359/29).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/20 16:56
S23	3	S20 and ((asymmetr\$ or non?symmetr\$ or (non near3 symmetr\$)) with (fourier or ft or transform\$5 or 4f or "4"?f)) and hologra\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 17:35
S24	35	S20 and (symmetr\$ with (fourier or ft or transform\$5 or 4f or "4"?f)) and hologra\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 17:41
S25	69	((asymmetr\$ or non?symmetr\$ or (non near3 symmetr\$)) with (fourier or ft or transform\$5 or 4f or "4"?f)) and hologra\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 17:36
S26	228	(symmetr\$ with (fourier or ft or transform\$5 or 4f or "4"?f)) and hologra\$ and (slit\$2 or pinhol\$3 or pin?hol\$3 or (pin near3 hol\$3) or diaphragm\$2 or iris\$2 or hol\$3 or apertur\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 17:42
S27	2297	((359/29) or (359/3) or (359/1) or (359/21) or (359/30) or (359/31) or (359/35)).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/08 13:28
S28	499	S27 and (fourier or ft or transform\$5 or 4f or "4"?f) and hologra\$ and (slit\$2 or pinhol\$3 or pin?hol\$3 or (pin near3 hol\$3) or diaphragm\$2 or iris\$2 or hol\$3 or apertur\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 14:43

S29	313	(359/29).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/08 13:29
S30	4	S27 and ((asymmetr\$ or non?symmetr\$ or (non near3 symmetr\$)) with (fourier or ft or transform\$5 or 4f or "4"?f)) and hologra\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 13:29
S31	38	S27 and (symmetr\$ with (fourier or ft or transform\$5 or 4f or "4"?f)) and hologra\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 13:29
S32	188	S27 and (fourier or ft or transform\$5 or 4f or "4"?f) and hologra\$ and (slit\$2 or pinhol\$3 or pin?hol\$3 or (pin near3 hol\$3) or diaphragm\$2 or iris\$2 or hol\$3 or apertur\$3 or mask\$3) and invers\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 15:01
S33	2829	((359/29) or (359/3) or (359/1) or (359/21) or (359/30) or (359/31) or (359/35)).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/03 18:51
S34	674	S33 and (fourier or ft or transform\$5 or 4f or "4"?f) and hologra\$ and (slit\$2 or pinhol\$3 or pin?hol\$3 or (pin near3 hol\$3) or diaphragm\$2 or iris\$2 or hol\$3 or apertur\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 18:51
S35	371	(359/29).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/03 18:51
S36	10	S33 and ((asymmetr\$ or non?symmetr\$ or (non near3 symmetr\$)) with (fourier or ft or transform\$5 or 4f or "4"?f)) and hologra\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 18:51
S37	48	S33 and (symmetr\$ with (fourier or ft or transform\$5 or 4f or "4"?f)) and hologra\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 18:51

S38	259	S33 and (fourier or ft or transform\$5 or 4f or "4"?f) and hologra\$ and (slit\$2 or pinhol\$3 or pin?hol\$3 or (pin near3 hol\$3) or diaphragm\$2 or iris\$2 or hol\$3 or apertur\$3 or mask\$3) and invers\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/ 11/ 03 18:51
S39	4	("20020135832"   "20030025955"   "6285474"   "6317404"). PN.	US-PGPUB; USPAT; USOCR	OR	ON	2010/ 11/ 03 18:59

**EAST Search History (Interference)**

<This search history is empty>

11/4/2010 1:10:53 PM

C:\Documents and Settings\ALavarias\My Documents\EAST\workspaces\10796394.wsp